

## Agrochemicals formulations not to be used in tobacco production

Acrolein > 55% in the formulation

Azinphos-ethyl > 15% in the formulation

Blasticidin-S > 25% in the formulation

Cadusafos > 65% in the formulation

Calcium arsenate > 35% in the formulation

Carbofuran > 5% in the formulation

Chlorfenvinphos and isomers > 55% in the formulation

Coumaphos, other related > 5% in the formulation

Coumatetralyl > 25% in the formulation

Cyfluthrin and isomers > 15% in formulation

Dicofol (containing 1g/kg DDT and DDT related cmpds)

Demeton-S-methyl (mixture) and isomers > 75% in the formulation

Dicrotophos > 35% in the formulation

Dinoterb > 45% in the formulation

Famphur > 85% in the formulation

Fenamiphos > 25% in the formulation

Formetanate > 35% in the formulation

Furathiocarb > 75% in the formulation

Lead arsenate > 15% in the formulation

Mecarbam > 65% in the formulation

Methidathion (DMTP) and related salts > 45% in the formulation

Methiocarb (Mercaptodimethur) > 35% in the formulation

Methomyl > 25% in the formulation

Methylmercapthphos teolovy (Demeton-S-methyl) > 75% in the formulation

Metiltriazotion (Azinphos-methyl) > 25% in the formulation

Nicotine > 20% in the formulation

Omethoate > 90% in the formulation

Paris green > 35% in the formulation

Oxamyl (Thioxamyl) > 5% in the formulation

Quintozene containing > 1 g/kg HCB or > 10 g/kg pentachlorobenzene

Sodium arsenite > 15% in the formulation

Sodium cyanide > 5% in the formulation

Strychnine > 25% in the formulation

Tefluthrin > 35% in the formulation

Thallium sulfate > 15% in the formulation

Thiofanox > 5% in the formulation

Thioxamyl (Oxamyl) > 5% in the formulation

Triazotion (Azinphos-ethyl) > 15% in the formulation

Warfarin > 15% in the formulation

Zeta-cypermethrin > 35% in the formulation

Zinc phosphide > 85% in the formulation